


NON MOVING LIST OF SDL

SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
1	53951012	TYRE COUPLING. MODEL: B TYPE - F90	NOS	2
2	56813003	DGMS APPROVED LIGHTING TRANSFORMER. RATING:550VOLTS/24VOLTS,400VA,WITH ONE INCOMING AND 2 OUT GOINGS i.e ONE FOR AVA AND ONE FOR HEAD LIGHTS.ALSO WITH HOUR METER(TO BE WIRED) AND INCOMING AND OUTGOING ISOLATORS	NOS	1
3	58122001	DGMS APPROVED,FLP HEAD LIGHT FITTING WITH HALOGEN BULB AND WITH 1NO.DOUBLE COMPRESSION CABLE GLAND SUITABLE FOR PLC-2 CABLE(R.H&SDL) 70/75WATTS,24VOLTS	NOS	4
4	58122019	DGMS APPROVED FLP ,HEAD LIGHT WITH HEAD AND TAIL LAMP, TWIN ENTRY WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRIALING CABLE 2 x 4 Sq.MM, 70 WATTS,24VOLTS	NOS	2
5	58123135	DGMS APPROVED,FLP/WP START-STOP PUSH BUTTON STATION WITH STOP BUTTON LOCKABLE KEY TYPE,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 550Volts,16AMPS	NOS	1
6	58123136	DGMS APPROVED,FLP TEMPERATURE SWITCH TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 5AMPS, 250Volts	NOS	1
7	58123137	DGMS APPROVED,FLP FLOAT SWITCH TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 1AMPS, 250Volts	NOS	1
8	58130012	FLP JUNCTION BOX WITH FOUR CABLE ENTRIES SUITABLE FOR 2C x 4Sq.MM PLC-4 CABLE WITH 12 NOS STRIP CONNECTORS FOR LOW HIGHT SDL.	NOS	1
9	58144160	PRESSURE FILTER.	NOS	3
10	58177044	DGMS APPROVED,FLP LIMIT SWITCH ASSY.TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 25 Amps,600Volts.	NOS	1
11	58177045	LIMIT SWITCH ASSY.TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 25 Amps,600Volts	NOS	1
12	58328501	DGMS APPROVED FLP CABLE REELING DRUM WITH SUITABLE SLIP RING ARRANGEMENT.	NOS	1
13	58331054	CLOG INDICATOR FOR SDL	NOS	1
14	58736031	DGMS APPROVED, FLP RESTRAINED TYPE PLUG & SOCKET, SUITABLE FOR 5C x 25Sq.MM TYP:FT-7,FLEXIBLE TRAILING CABLE, 550 VOLTS,150 AMPS.	NOS	2

SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
1	53951012	TYRE COUPLING. MODEL: B TYPE - F90	NOS	2



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
2	56813003	DGMS APPROVED LIGHTING TRANSFORMER. RATING:550VOLTS/24VOLTS,400VA,WITH ONE INCOMING AND 2 OUT GOINGS i.e ONE FOR AVA AND ONE FOR HEAD LIGHTS.ALSO WITH HOUR METER(TO BE WIRED) AND INCOMING AND OUTGOING ISOLATORS	NOS	1



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
3	58122001	DGMS APPROVED,FLP HEAD LIGHT FITTING WITH HALOGEN BULB AND WITH 1NO.DOUBLE COMPRESSION CABLE GLAND SUITABLE FOR PLC-2 CABLE(R.H&SDL) 70/75WATTS,24VOLTS	NOS	4




SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
4	58122019	DGMS APPROVED FLP ,HEAD LIGHT WITH HEAD AND TAIL LAMP, TWIN ENTRY WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRIALING CABLE 2 x 4 Sq.MM, 70 WATTS,24VOLTS	NOS	2



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
5	58123135	DGMS APPROVED,FLP/WP START-STOP PUSH BUTTON STATION WITH STOP BUTTON LOCKABLE KEY TYPE, WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 550Volts,16AMPS	NOS	1



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
6	58123136	DGMS APPROVED,FLP TEMPERATURE SWITCH TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 5AMPS, 250Volts	NOS	1



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
7	58123137	DGMS APPROVED,FLP FLOAT SWITCH TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 1AMPS, 250Volts	NOS	1




SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
8	58130012	FLP JUNCTION BOX WITH FOUR CABLE ENTRIES SUITABLE FOR 2C x 4Sq.MM PLC-4 CABLE WITH 12 NOS STRIP CONNECTORS FOR LOW HIGHT SDL.	NOS	1




SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
9	58144160	PRESSURE FILTER.	NOS	3




SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
10	58177044	DGMS APPROVED,FLP LIMIT SWITCH ASSY.TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 25 Amps,600Volts.	NOS	1



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
11	58177045	LIMIT SWITCH ASSY.TWIN ENTRY,WITH CERTIFIED DC GLANDS SUITABLE FOR PLC-2 FLEXIBLE TRAILING CABLE-2 x 4 Sq.MM, 25 Amps,600Volts	NOS	1



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
12	58328501	DGMS APPROVED FLP CABLE REELING DRUM WITH SUITABLE SLIP RING ARRANGEMENT.	NOS	1



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
13	58331054	CLOG INDICATOR FOR SDL	NOS	1



SL.NO	STOCK CODE	STOCK DESC	UNITS	QTY
14	58736031	DGMS APPROVED, FLP RESTRAINED TYPE PLUG & SOCKET, SUITABLE FOR 5C x 25Sq.MM TYP:FT-7,FLEXIBLE TRAILING CABLE, 550 VOLTS,150 AMPS.	NOS	2

